

Package ‘HTSeqGenie’

October 9, 2013

Imports BiocGenerics (>= 0.2.0), IRanges (>= 1.14.3), GenomicRanges (>= 1.7.12), Rsamtools (>= 1.8.5), Biostrings (>= 2.24.1), chipseq (>= 1.6.1), rtracklayer (>= 1.17.19), GenomicFeatures (>= 1.9.31), VariantTools (>= 1.1.16), VariantAnnotation (>= 1.5.41)

Maintainer Gregoire Pau <pau.gregoire@gene.com>

License Artistic-2.0

Title A NGS analysis pipeline.

Type Package

LazyLoad yes

Author Gregoire Pau, Jens Reeder

Description Libraries to perform NGS analysis.

Version 3.10.0

Date 2012-03-01

Depends R (>= 2.15.0), ShortRead (>= 1.14.4), parallel, hwriter, Cairo, tools, rtracklayer, gmapR (>= 1.1.10)

Suggests TxDb.Hsapiens.UCSC.hg19.knownGene, GenomicFeatures, LungCancerLines, org.Hs.eg.db

Collate

‘alignReads.R’ ‘bamUtils.R’ ‘checkConfig.R’ ‘config.R’ ‘detectAdapterContam.R’ ‘detectRRNA.R’ ‘filterQuality.R’ ‘io.R’

R topics documented:

analyzeVariants	2
buildGenomicFeaturesFromTxDb	3
buildTP53GenomeTemplate	3
calcConfusionMatrix	4
callVariantsGATK	5
checkConfig.detectAdapterContam	5

checkGATKJar	6
detectRRNA	6
gatk	7
getRRNAIds	7
getTabDataFromFile	8
getTransitionRatio	8
hashCoverage	9
hashVariants	10
hashVector	10
HTSeqGenie	11
markDuplicates	12
markDups	13
plotMutationMatrix	13
plotVariantDepth	14
processVariants	14
runPipeline	15
runPipelineConfig	16
setupTestFramework	17
TP53GenomicFeatures	17
wrap.callVariants	18
writeVCF	19
Index	20

analyzeVariants	<i>Calculate and process Variants</i>
-----------------	---------------------------------------

Description

Calculate and process Variants

Usage

```
analyzeVariants()
```

Value

Nothing

Author(s)

Jens Reeder

`buildGenomicFeaturesFromTxDb`*Build genomic features from a TxDb object*

Description

Build genomic features from a TxDb object

Usage

```
buildGenomicFeaturesFromTxDb(txdb)
```

Arguments

`txdb` A TxDb object.

Value

A list named list of GRanges objects containing the biological entities to account for.

Author(s)

Gregoire Pau

Examples

```
## Not run:  
library("TxDb.Hsapiens.UCSC.hg19.knownGene")  
txdb <- TxDb.Hsapiens.UCSC.hg19.knownGene  
genomic_features <- buildGenomicFeaturesFromTxDb(txdb)  
  
## End(Not run)
```

`buildTP53GenomeTemplate`*buildTP53GenomeTemplate*

Description

Create a tp53 config template

Usage

```
buildTP53GenomeTemplate()
```

Value

Path to tp53 template file

Author(s)

Jens Reeder

calcConfusionMatrix *Calculate Confusion Matrix*

Description

Calculate Confusion Matrix

Usage

```
calcConfusionMatrix(variants)
```

Arguments

variants Variants as GRanges

Details

Calculate Confusion Matrix from Granges object containing variants

Value

confusion matrix as table

Author(s)

Cory Barr, Jens Reeder

callVariantsGATK	<i>Variant calling via GATK</i>
------------------	---------------------------------

Description

Call variants via GATK using the pipeline framework. Requires a GATK compatible genome with a name matching the alignment genome to be installed in 'path.gatk_genome'

Usage

```
callVariantsGATK(bam.file)
```

Arguments

bam.file	Path to bam.file
----------	------------------

Value

Path to variant file

Author(s)

Jens Reeder

checkConfig.detectAdapterContam	<i>Check adapter contamination configuration values</i>
---------------------------------	---

Description

Performs all configuration checks for adapter copntamination related values

Usage

```
checkConfig.detectAdapterContam()
```

Value

Nothing, but will throw error instead.

checkGATKJar	<i>Check for the GATK jar file</i>
--------------	------------------------------------

Description

Check for the GATK jar file

Usage

```
checkGATKJar(path = getOption("gatk.path"))
```

Arguments

path	Path to the GATK jar file
------	---------------------------

Value

TRUE if tool can be called, FALSE otherwise

detectRRNA	<i>Detect rRNA Contamination in Reads</i>
------------	---

Description

Returns a named vector indicating if a read ID has rRNA contamination or not

Usage

```
detectRRNA(lreads, remove_tmp_dir = TRUE,
           save_dir = NULL)
```

Arguments

lreads	A list of ShortReadQ objects
remove_tmp_dir	boolean indicating whether or not to delete temp directory of gsnap results
save_dir	Save directory

Details

Given a genome and fastq data, each read in the fastq data is aligned against the rRNA sequences for that genome

Value

a named logical vector indicating if a read has rRNA contamination

Author(s)

Cory Barr

`gatk`*gatk*

Description

Run a command from the GATK

Usage

```
gatk(gatk.jar.path = getOption("gatk.path"), method,
     args)
```

Arguments

<code>gatk.jar.path</code>	Path to the gatk jar file
<code>method</code>	Name of the gatk method, e.g. UnifiedGenotyper
<code>args</code>	additional args passed to gatk

Details

Execute the GATK jar file using the method specified as arg. Stops if the command executed fails.

Value

0 for success, stops otherwise

Author(s)

Jens Reeder

`getRRNAIds`*Detect reads that look like rRNA*

Description

Detect reads that look like rRNA

Usage

```
getRRNAIds(file1, file2 = NULL, tmp_dir, rRNADB)
```

Arguments

file1	FastQ file of forward reads
file2	FastQ of reverse reads in paired-end sequencing, NULL otherwise
tmp_dir	temporary directory used for storing the gsnap results
rRNADb	Name of the rRNA sequence database. Must exist in the gsnap genome directory

Value

IDs of reads flagged as rRNA

`getTabDataFromFile` *Load tabular data from the NGS pipeline result directory*

Description

Load tabular data from the NGS pipeline result directory

Usage

```
getTabDataFromFile(save_dir, object_name)
```

Arguments

save_dir	A character string containing an NGS pipeline output directory.
object_name	A character string containing the regular expression matching a filename in dir_path

Value

A data frame.

`getTransitionRatio` *Get Nucleotide Transition Ratio*

Description

Get Nucleotide Transition Ratio

Usage

```
getTransitionRatio(x, y)
```

Arguments

x	DNAStrngSet
y	DNAStrngSet

Details

Get Nucleotide Transition Ratio

Value

numeric vector of length 1

Author(s)

Cory Barr

hashCoverage	<i>Hashing function for coverage</i>
--------------	--------------------------------------

Description

Hashing function for coverage

Usage

```
hashCoverage(cov)
```

Arguments

cov A SimpleRleList object

Value

A numeric

Author(s)

Gregoire Pau

hashVariants	<i>Hashing function for variants</i>
--------------	--------------------------------------

Description

Hashing function for variants

Usage

```
hashVariants(var)
```

Arguments

var	A GRanges object
-----	------------------

Value

A numeric

Author(s)

Gregoire Pau

hashVector	<i>Hashing function for vector</i>
------------	------------------------------------

Description

Hashing function for vector

Usage

```
hashVector(x)
```

Arguments

x	A vector
---	----------

Value

A numeric

Author(s)

Gregoire Pau

Description

The HTSeqGenie package is a robust and efficient software to analyze high-throughput sequencing experiments in a reproducible manner. It supports the RNA-Seq and Exome-Seq protocols and provides: quality control reporting (using the ShortRead package), detection of adapter contamination, read alignment versus a reference genome (using the gmapR package), counting reads in genomic regions (using the GenomicRanges package), and read-depth coverage computation.

Package content

To run the pipeline:

- runPipeline

To access the pipeline output data:

- getTabDataFromFile

To build the genomic features object:

- buildGenomicFeaturesFromTxDb
- TP53GenomicFeatures

Examples

```
## Not run:
## build genome and genomic features
tp53Genome <- TP53Genome()
tp53GenomicFeatures <- TP53GenomicFeatures()

## get the FASTQ files
fastq1 <- system.file("extdata/H1993_TP53_subset2500_1.fastq.gz", package="HTSeqGenie")
fastq2 <- system.file("extdata/H1993_TP53_subset2500_2.fastq.gz", package="HTSeqGenie")

## run the pipeline
save_dir <- runPipeline(
  ## input
  input_file=fastq1,
  input_file2=fastq2,
  paired_ends=TRUE,
  quality_encoding="illumina1.8",

  ## output
  save_dir="test",
  prepend_str="test",
  overwrite_save_dir="erase",
```

```
## aligner
path.gsnap_genomes=path(directory(tp53Genome)),
alignReads.genome=genome(tp53Genome),
alignReads.additional_parameters="--indel-penalty=1 --novelsplicing=1 --distant-splice-penalty=1",

## gene model
path.genomic_features=dirname(tp53GenomicFeatures),
countGenomicFeatures.gfeatures=basename(tp53GenomicFeatures)
)

## End(Not run)
```

markDuplicates	<i>markDuplicates</i>
----------------	-----------------------

Description

Mark duplicates in bam

Usage

```
markDuplicates(bamfile, outfile = NULL, path = NULL)
```

Arguments

bamfile	Name of input bam file
outfile	Name of output bam file
path	Full path to MarkDuplicates jar

Details

Use MarkDuplicates from PicardTools to mark duplicate alignments in bam file.

Value

Path to output bam file

Author(s)

Jens Reeder

markDups	<i>markDups</i>
----------	-----------------

Description

Mark duplicates in pipeline context

Usage

```
markDups()
```

Details

High level function call to mark duplicates in the analyzed.ba file of a pipelin run.

Value

Nothing

Author(s)

Jens Reeder

plotMutationMatrix	<i>Plot Mutation Matrix</i>
--------------------	-----------------------------

Description

Plot Mutation Matrix

Usage

```
plotMutationMatrix(variants)
```

Arguments

variants	Variants as Granges computed by SNVsOmuC
----------	--

Details

Plot Mutation Matrix

Value

Nothing, stores plots as files

Author(s)

Jens Reeder, Jeremiah Degenhardt

plotVariantDepth *Plot the variant depth*

Description

Plot the variant depth

Usage

```
plotVariantDepth(variants)
```

Arguments

variants Variants as computed by SVNsoMuC

Details

Plot the variant depth

Value

Name of plot file

Author(s)

Cory Barr, Jens Reeder

processVariants *Process variant callings*

Description

For a given eset of variants, calculates variant depth, confusion matrix, transition ratio and the mutation matrix

Usage

```
processVariants(variants, reports.dir)
```

Arguments

variants GrangesList of variants
reports.dir Directory to store the resulting images and html

Value

Name of generated html file

runPipeline	<i>Run the NGS analysis pipeline</i>
-------------	--------------------------------------

Description

Run the NGS analysis pipeline

Usage

```
runPipeline(...)
```

Arguments

... A list of parameters. See the vignette for details.

Details

This function starts the pipeline. It first preprocesses the input FASTQ reads, align them, count the read overlaps with genomic features and compute the coverage. See the vignette for details.

Value

The path to the NGS output directory.

Author(s)

Jens Reeder, Gregoire Pau

See Also

TP53Genome, TP53GenomicFeatures

Examples

```
## Not run:
## build genome and genomic features
tp53Genome <- TP53Genome()
tp53GenomicFeatures <- TP53GenomicFeatures()

## get the FASTQ files
fastq1 <- system.file("extdata/H1993_TP53_subset2500_1.fastq.gz", package="HTSeqGenie")
fastq2 <- system.file("extdata/H1993_TP53_subset2500_2.fastq.gz", package="HTSeqGenie")

## run the pipeline
save_dir <- runPipeline(
  ## input
  input_file=fastq1,
  input_file2=fastq2,
  paired_ends=TRUE,
```

```

quality_encoding="illumina1.8",

## output
save_dir="test",
prepend_str="test",
overwrite_save_dir="erase",

## aligner
path.gsnap_genomes=path(directory(tp53Genome)),
alignReads.genome=genome(tp53Genome),
alignReads.additional_parameters="--indel-penalty=1 --novelsplicing=1 --distant-splice-penalty=1",

## gene model
path.genomic_features=dirname(tp53GenomicFeatures),
countGenomicFeatures.gfeatures=basename(tp53GenomicFeatures)
)

## End(Not run)

```

```
runPipelineConfig      Run the NGS analysis pipeline
```

Description

Run the NGS analysis pipeline from a configuration file

Usage

```
runPipelineConfig(config_filename, config_update)
```

Arguments

config_filename Path to a pipeline configuration file
config_update A list of name value pairs that will update the config parameters

Details

This is the launcher function for all pipeline runs. It will do some preprocessing steps, then aligns the reads, counts overlap with genomic Features such as genes, exons etc and applies a variant caller.

Value

Nothing

Author(s)

Jens Reeder, Gregoire Pau

setupTestFramework	<i>setup test framework</i>
--------------------	-----------------------------

Description

setup test framework

Usage

```
setupTestFramework(config.filename,
  config.update = list(), testname = "test",
  package = "HTSeqGenie", use.TP53Genome = TRUE)
```

Arguments

config.filename	configuration file
config.update	update list of config values
testname	name of test case
package	name of package
use.TP53Genome	Boolean indicating the use of the TP53 genome as template config

Value

the created temp directory

TP53GenomicFeatures	<i>Demo genomic features around the TP53 gene</i>
---------------------	---

Description

Build the genomic features of the TP53 demo region

Usage

```
TP53GenomicFeatures()
```

Details

Returns a list of genomic features (gene, exons, transcripts) annotating a region of UCSC hg19 sequence centered on the region of the TP53 gene, with 1 Mb flanking sequence on each side. This is intended as a test/demonstration to run the NGS pipeline in conjunction with the LungCancerLines data package.

Value

A list of GRanges objects containing the genomic features

Author(s)

Gregoire Pau

See Also

TP53Genome, buildGenomicFeaturesFromTxDb, runPipeline

`wrap.callVariants` *Variant calling*

Description

Call Variants in the pipeline framework

Usage

```
wrap.callVariants(bam.file)
```

Arguments

`bam.file` Aligned reads as bam file

Details

A wrapper around VariantTools callVariant framework.

Value

Variants as granges

Author(s)

Jens Reeder

writeVCF

writeVCF

Description

Write variants to VCF file

Usage

```
writeVCF(variants.granges)
```

Arguments

variants.granges
Genomic Variants as Granges object

Value

VCF file name

Author(s)

Jens Reeder

Index

*Topic **package**

HTSeqGenie, [11](#)

analyzeVariants, [2](#)

buildGenomicFeaturesFromTxDb, [3](#)

buildTP53GenomeTemplate, [3](#)

calcConfusionMatrix, [4](#)

callVariantsGATK, [5](#)

checkConfig.detectAdapterContam, [5](#)

checkGATKJar, [6](#)

detectRRNA, [6](#)

gatk, [7](#)

getRRNAIds, [7](#)

getTabDataFromFile, [8](#)

getTransitionRatio, [8](#)

hashCoverage, [9](#)

hashVariants, [10](#)

hashVector, [10](#)

HTSeqGenie, [11](#)

markDuplicates, [12](#)

markDups, [13](#)

plotMutationMatrix, [13](#)

plotVariantDepth, [14](#)

processVariants, [14](#)

runPipeline, [15](#)

runPipelineConfig, [16](#)

setupTestFramework, [17](#)

TP53GenomicFeatures, [17](#)

wrap.callVariants, [18](#)

writeVCF, [19](#)