

Package ‘GOFunction’

April 5, 2014

Type Package

Title GO-function: deriving biologically relevant functions from statistically significant functions

Version 1.10.0

Date 2013-10-03

Author Jing Wang <jingwang.uestc@gmail.com>

Maintainer Jing Wang <jingwang.uestc@gmail.com>

Description The GO-function package provides a tool to address the redundancy that result from the GO structure or multiple annotation genes and derive biologically relevant functions from the statistically significant functions based on some intuitive assumption and statistical testing.

License GPL (>= 2)

LazyLoad yes

Depends R (>= 2.11.0), methods, Biobase (>= 2.8.0), graph (>= 1.26.0), Rgraphviz (>= 1.26.0), GO.db (>= 2.4.1), AnnotationDbi (>= 1.10.2), SparseM (>= 0.85)

Imports methods, Biobase, graph, Rgraphviz, GO.db, AnnotationDbi, SparseM

Collate zzz.R GOFunction.R enrichmentFunction.R localRedundancy.R globalRedundancy.R createGODAG.R showSigNodes.R

biocViews GO, Pathways, Microarray, GeneSetEnrichment

R topics documented:

GOFunction-package	2
createGODAG	3
enrichmentFunction	3
globalRedundancy	4
GOFunction	5

interestGenes	7
localRedundancy	8
refGenes	9
showSigNodes	9

Index	11
--------------	-----------

GOFfunction-package	<i>GO-function: deriving biologically relevant functions from statistically significant functions</i>
---------------------	---

Description

The GO-function package is an enrichment analysis tool for Gene Ontology (GO). According to some explicit rules, it is designed for treating the redundancy resulting from the GO structure or multiple annotation genes. Different from current redundancy treatment tools simply based on some numerical considerations, GO-function can find terms which are both statistically interpretable and biologically meaningful.

Details

Package:	GOFfunction
Type:	Package
Version:	1.0.1
Date:	2011-06-14
License:	GPL (>=2)
LazyLoad:	yes

Author(s)

Jing Wang Maintainer: Jing Wang <jingwang.uestc@gmail.com>

References

Jing Wang et al. GO-function: deriving biologically relevant functions from statistically significant functions, Brief Bioinform, 2012, 13(2): 216-227

See Also

[GOFfunction](#)

`createGODAG`*Creation of GO DAG stucture for statistically significant GO terms*

Description

To plot the relationship between statistically significant GO terms, this function creates a GO DAG structure for these terms.

Arguments

`sigNodes` `sigNodes` is the statistically significant GO terms found by "enrichmentFunction" function.

`ontology` The default ontology is "BP" (Biological Process). The "CC" (Cellular Component) and "MF" (Molecular Function) ontologies can also be used.

Value

This function returns a object of 'graphNEL' class.

Note

This function simulates the related program in TopGO (Alexa, A. et al. (2006) Improved scoring of functional groups from gene expression data by decorrelating GO graph structure. *Bioinformatics*, 22, 1600-1607).

Author(s)

Jing Wang

See Also

[GOFunction enrichmentFunction](#)

`enrichmentFunction`*Identification of statistically significant GO terms*

Description

Using the hypergenomic distribution test and FDR correction procedure, this function can identify a set of statistically significant GO terms.

Arguments

annRef	annRef is the annotated reference genes and their annotated terms.
annInterest	annInterest is the annotated interesting genes and their annotated terms.
method	method is the fdr method. GO-function provides three p value correction methods: "bonferroni", "BH" and "BY". The default is "BY".
fdrth	fdrth is the fdr cutoff to identify statistically significant GO terms. The default is 0.05.

Value

The function returns a list contained two values: The first value is a table contained the information of all statistically significant terms under a FDR control level and the second value is a table contained the information of all annotated GO terms.

Author(s)

Jing Wang

See Also

[GOFunction](#)

globalRedundancy	<i>Treating for glocal redundancy between GO terms which share multiple function genes but have no ancient-offspring relationship</i>
------------------	---

Description

For a pair of terms with overlapping genes, this function can identify whether their significance might be simply introduced by the overlapping genes (see details).

Arguments

generalAnn	generalAnn is the mapping between gene and GO terms.
sigTermRelation	sigTermRelation is the GO DAG relationship between the statistically significant terms.
annRef	annRef is the annotated reference genes and their annotated terms.
annInterest	annInterest is the annotated interesting genes and their annotated terms.
sigTermRedun	sigTermRedun is the remained statistically significant terms after treating local redundancy.
poth	poth is the significant level to test whether the overlapping genes of one term is significantly different from the non-overlapping genes of the term. The default is 0.05.
peth	peth is the significant level to test whether the non-overlapping genes of one term is enriched with interesting genes. The default is 0.05.

Details

This function uses the following principles to treat for global redundancy between GO terms which share multiple function genes but have no ancient-offspring relationship. For a pair of overlapping terms, GO-function remains one term only if (1) there is additional evidence that the non-overlapping genes of a term may be related to the disease if the frequency of interesting genes in these genes is not significantly different from that in the overlapping genes or is significantly higher than the random background; and (2) there is no such evidence for the non-overlapping genes of another term. In all the other situations, GO-function remains both terms.

Value

The function returns a set of remained terms with evidence that their significance should not be simply due to the overlapping genes.

Author(s)

Jing Wang

See Also

[GOFunction localRedundancy](#)

GOFunction

main function of the GO-function package

Description

The GOFunction function is the main function of the GO-function package and can generate a set of biologically relevant GO terms.

Usage

```
GOFunction(interestGenes, refGenes, organism = "org.Hs.eg.db", ontology = "BP", fdmethod = "BY", fdrth
```

Arguments

interestGenes	interestGenes is a set of interesting genes (e.g. differential expressed genes), which should be denoted using the Entrez gene ID.
refGenes	refGenes is the background genes corresponding to the interesting genes, which should be denoted using the Entrez gene ID.
organism	The GO-function package can be currently applied to analyse data for 18 organisms and the user should install the corresponding gene annotation package when analysing data for these organisms. The 18 organisms and the corresponding packages are as follows: Anopheles "org.Ag.eg.db", Bovine "org.Bt.eg.db", Canine "org.Cf.eg.db", Chicken "org.Gg.eg.db", Chimp "org.Pt.eg.db", E coli strain K12 "org.EcK12.eg.db", E coli strain Sakai "org.EcSakai.eg.db", Fly "org.Dm.eg.db", Human "org.Hs.eg.db", Mouse "org.Mm.eg.db", Pig "org.Ss.eg.db", Rat "org.Rn.eg.db",

	Rhesus "org.Mmu.eg.db", Streptomyces coelicolor "org.Sco.eg.db", Worm "org.Ce.eg.db", Xenopus "org.Xl.eg.db", Yeast "org.Sc.sgd.db", Zebrafish "org.Dr.eg.db". The default organism is "org.Hs.eg.db" (Human).
ontology	The default ontology is "BP" (Biological Process). The "CC" (Cellular Component) and "MF" (Molecular Function) ontologies can also be used.
fdrmethod	GO-function provides three p value correction methods: "bonferroni", "BH" and "BY". The default fdrmethod is "BY".
fdrth	fdrth is the fdr cutoff to identify statistically significant GO terms. The default is 0.05.
ppth	ppth is the significant level to test whether the remaining genes of the ancestor term are enriched with interesting genes after removing the genes in its significant offspring terms. The default is 0.05.
pcth	pcth is the significant level to test whether the frequency of interesting genes in the offspring terms are significantly different from that in the ancestor term. The default is 0.05.
poth	poth is the significant level to test whether the overlapping genes of one term is significantly different from the non-overlapping genes of the term. The default is 0.05.
peth	peth is the significant level to test whether the non-overlapping genes of one term is enriched with interesting genes. The default is 0.05.
bmpSize	bmpSize is the width and height of the plot of GO DAG for all statistically significant terms. GO-function set the default width and height of the plot as 2000 pixels in order to clearly show the GO DAG structure. If the GO DAG is very complexity, the user should increase bmpSize. Note: If there is an error at the step of "bmp(filename, width = 2000, ..." when running GO-function, the user should decrease bmpSize.
filename	filename is the name of the files saving the table and the GO DAG of all statistically significant terms.

Value

There are two types of result output of GO-function. The first type is that GO-function saves a table contained all statistically significant terms to a CSV file (e.g. "sigTerm.csv") in the current working folder. This table contains seven columns: goid, name, refnum (the number of the reference genes in a GO term), interestnum (the number of the interesting genes in a GO term), pvalue, adjustp (the corrected p value by the fdr control), FinalResults. The "FinalResults" contains three types: (1) "Local" represents terms removed after treating for local redundancy; (2) "Global" represents terms removed after treating for global redundancy; (3) "Final" represents the remained terms with evidence that their significance should not be simply due to the overlapping genes. GO-function also saves the structure of GO DAG for all statistic significant terms into a plot (e.g. "sigTerm.bmp") in the current working folder. In this plot, "circle", "box" and "rectangle" represent "Local", "Global" and "Final" terms in the table, respectively. The different color shades represent the adjusted p values of the terms.

Note

GO-function use the GO data and annotation data from Bioconductor, so the user does not need to update the data manually.

Author(s)

Jing Wang

Examples

```
data(exampldata)
sigTerm <- GOFunction(interestGenes, refGenes, organism = "org.Hs.eg.db", ontology= "BP", fdrmethod = "BY",
fdrth = 0.05, ppth = 0.05, pcth = 0.05, poth = 0.05, peth = 0.05, bmpSize = 2000, filename="sigTerm")
```

interestGenes

Colon cancer differentially expressed genes

Description

The interestGenes contain 9201 differentially expressed genes extracted from Sabates-Bellver dataset.

Usage

```
data(exampldata)
```

Format

vector

Details

The differentially expressed genes are selected using the Significant Analysis of Microarray (SAM) with an FDR of 1

References

Sabates-Bellver J. et al. Transcriptome profile of human colorectal adenomas. Mol Cancer Res, 5(12):1263-1275, 2007.

localRedundancy	<i>Treating for local redundancy between GO terms with ancient-offspring relationship</i>
-----------------	---

Description

This function uses some explicit rules to treat local redundancy (see details).

Arguments

sigTerm	sigTerm is the statistically significant terms found by the enrichmentFunction function.
generalAnn	generalAnn is the mapping between gene and GO terms.
sigTermRelation	sigTermRelation is the GO DAG relationship between the statistically significant terms.
annRef	annRef is the annotated reference genes and their annotated terms.
annInterest	annInterest is the annotated interesting genes and their annotated terms.
ppth	ppth is the significant level to test whether the remaining genes of the ancestor term are enriched with interesting genes after removing the genes in its significant offspring terms. The default is 0.05.
pcth	pcth is the significant level to test whether the frequency of interesting genes in the offspring terms are significantly different from that in the ancestor term. The default is 0.05.

Details

This function uses three principles to treat local redundancy between GO terms with ancient-offspring relationship: 1. if the frequency of interesting genes in the remaining genes of the ancestor term is not significantly higher than the random background, and at the same time, it is lower than the frequency of its significant offspring terms, GO-function only remains the offspring terms; Otherwise, GO-function remains ancient term. In this situation, 2. if the offspring terms are no different with the ancient term, GO-function only remains the ancestor term; otherwise, 3. GO-function remains both ancient term and its offspring terms.

Value

The function returns a set of remained terms without local redundancy.

Author(s)

Jing Wang

See Also

[GOFunction enrichmentFunction](#)

refGenes	<i>Colon cancer background genes</i>
----------	--------------------------------------

Description

The refGenes contain 19950 background genes.

Usage

```
data(exampledata)
```

Format

vector

References

Sabates-Bellver J. et al. Transcriptome profile of human colorectal adenomas. *Mol Cancer Res*, 5(12):1263-1275, 2007.

showSigNodes	<i>Drawing the GO DAG structure of statistically significant terms</i>
--------------	--

Description

According to the GO DAG structure created by the "createGODAG" function, this function draws the corresponding plot.

Arguments

DAG	DAG is a object of 'graphNEL' class which contains the GO DAG structure of statistically significant GO terms.
sigTerm	sigTerm is the GO terms found by enrichmentFunction function.
sigTerm_Local	sigTerm_Local is the remained statistically significant terms after treating local redundancy.
sigTerm_Global	sigTerm_Global is the remained statistically significant terms after treating global redundancy.
dagTermInfo	dagTermInfo is the information of all related GO terms in GO DAG.
bmpSize	bmpSize is the width and height of the plot of GO DAG for all statistically significant terms. GO-function set the default width and height of the plot as 2000 pixels in order to clearly show the GO DAG structure. If the GO DAG is very complexity, the user should increase bmpSize. Note: If there is an error at the step of "bmp(filename, width = 2000, ...)" when running GO-function, the user should decrease bmpSize.
filename	filename is the name of the files saving the table and the GO DAG of all statistically significant terms.

Value

This function saves the structure of GO DAG for all statistic significant terms into a plot (e.g. "sigTerm.bmp") in the current working folder. In this plot, "circle" represents terms removed after local redundancy treatment, "box" represents terms removed after treating global redundancy and "rectangle" represents the remained terms with evidence that their significance should not be simply due to the overlapping genes. The different color shades represent the adjusted p values of the terms.

Author(s)

Jing Wang

See Also

[GOFunction](#) [enrichmentFunction](#) [localRedundancy](#) [globalRedundancy](#) [createGODAG](#)

Index

*Topic **datasets**

interestGenes, [7](#)

refGenes, [9](#)

*Topic **methods**

createGODAG, [3](#)

enrichmentFunction, [3](#)

globalRedundancy, [4](#)

GOFfunction, [5](#)

localRedundancy, [8](#)

showSigNodes, [9](#)

*Topic **package**

GOFfunction-package, [2](#)

createGODAG, [3](#), [10](#)

enrichmentFunction, [3](#), [3](#), [8](#), [10](#)

globalRedundancy, [4](#), [10](#)

GOFfunction, [2–4](#), [5](#), [5](#), [8](#), [10](#)

GOFfunction-package, [2](#)

interestGenes, [7](#)

localRedundancy, [5](#), [8](#), [10](#)

refGenes, [9](#)

showSigNodes, [9](#)