

Package ‘geyser’

November 28, 2025

Title Gene Expression displaYer of SummarizedExperiment in R

Version 1.2.0

Description Lightweight Expression displaYer (plotter / viewer) of SummarizedExperiment object in R. This package provides a quick and easy Shiny-based GUI to empower a user to use a SummarizedExperiment object to view (gene) expression grouped from the sample metadata columns (in the `colData` slot). Feature expression can either be viewed with a box plot or a heatmap.

License CC0

LazyData false

biocViews Software, ShinyApps, GUI, GeneExpression

Imports bslib (>= 0.6.0), BiocStyle, ComplexHeatmap, dplyr, DT, ggbeeswarm, ggplot2, htmltools, magrittr, shiny, SummarizedExperiment, tibble, tidyselect, tidyrr

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Suggests airway, knitr, DESeq2, recount3, rmarkdown, stringr, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

URL <https://github.com/davemcg/geyser>

BugReports <https://github.com/davemcg/geyser/issues>

git_url <https://git.bioconductor.org/packages/geyser>

git_branch RELEASE_3_22

git_last_commit 5cbf44a

git_last_commit_date 2025-10-29

Repository Bioconductor 3.22

Date/Publication 2025-11-27

Author David McGaughey [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-9224-2888>>)

Maintainer David McGaughey <mcgaughey@gmail.com>

Contents

<code>.exp_plot</code>	2
<code>.hm_plot</code>	3
<code>geyser</code>	4
Index	5

<code>.exp_plot</code>	<i>exp_plot</i>
------------------------	-----------------

Description

draws the expression box plot

Usage

```
.exp_plot(input, rse, slot)
```

Arguments

<code>input</code>	From ui.R
<code>rse</code>	The rse object
<code>slot</code>	which slot to pull the count data from the rse assay

Details

Makes the box plot for the geyser Shiny app

Value

Returns a list with the `$plot` slot holding ggplot object and `$grouping_length` contains the number of features to scale the plot

Author(s)

David McGaughey

Examples

```
load(system.file('extdata/tiny_rse.Rdata', package = 'geyser'))
input <- list()
input$feature_col <- "row names"
input$features <- c("TYRP1 (ENSG00000107165.12)", "OPN1LW (ENSG00000102076.9)")
input$groupings <- c('disease')
input$slot <- 'counts'
input$expression_scale <- TRUE
input$color_by <- 'tissue'
geyser:::exp_plot(input, tiny_rse, 'counts')$plot
```

<i>.hm_plot</i>	<i>hm_plot</i>
-----------------	----------------

Description

draws the expression heatmap

Usage

```
.hm_plot(input, rse, slot)
```

Arguments

input	From ui.R
rse	rse object
slot	which slot to pull the count data from the rse assay

Details

Makes the heatmap for the geyser Shiny app

Value

Returns a ComplexHeatmap object

Author(s)

David McGaughey

Examples

```
load(system.file('extdata/tiny_rse.Rdata', package = 'geyser'))
input <- list()
input$feature_col <- 'row names'
input$features <- c("TYRP1 (ENSG00000107165.12)", "OPN1LW (ENSG00000102076.9)")
input$groupings <- c('disease')
input$slot <- 'counts'
input$expression_scale <- TRUE
input$row_clust <- TRUE
input$col_clust <- TRUE
geyser:::hm_plot(input, tiny_rse, 'counts')$plot
```

geyser	<i>geyser</i>
--------	---------------

Description

Run shiny app to use SummarizedExperiment object to display genomics data

Usage

```
geyser(  
  rse,  
  app_name = "geyser",  
  primary_color = "#3A5836",  
  secondary_color = "#d5673e"  
)
```

Arguments

rse	SummarizedExperiment object
app_name	Title name that goes on the top left of the Shiny app
primary_color	The title bar color
secondary_color	The plot action button color

Details

Shiny app uses the rowData rownames to define the genes. The colData field is made fully available to make custom plot groupings.

Value

Shiny app

Author(s)

David McGaughey

Examples

```
if (interactive()){  
  load(system.file('extdata/tiny_rse.Rdata', package = 'geyser'))  
  geyser(tiny_rse)  
}
```

Index

- * **internal**
 - .exp_plot, [2](#)
 - .hm_plot, [3](#)
- .exp_plot, [2](#)
- .hm_plot, [3](#)
- geyser, [4](#)