

hgu133afrmavecs

July 31, 2024

hgu133abarcovecs *Vectors used by barcode function for hgu133a.*

Description

Parameters of the background distribution for use with the barcode function. These correspond to version 3.0 of the Gene Expression Barcode website.

Usage

```
data(hgu133abarcovecs)
```

Format

A list with 3 elements.

mu	background means
tau	background standard deviations
entropy	observed gene entropy

Examples

```
data(hgu133abarcovecs)  
str(hgu133abarcovecs)
```

hgu133afirmavecs *Vectors used by fRMA for hgu133a.*

Description

Frozen parameter vectors for use with the `frma` and `GNUSE` functions.

Usage

```
data(hgu133afirmavecs)
data(hgu133ahsentrezgfirmavecs)
```

Format

A list with 6 or 7 elements.

<code>normVec</code>	normalization vector
<code>probeVec</code>	probe effect vector
<code>probeVarWithin</code>	within batch probe variance
<code>probeVarBetween</code>	between batch probe variance
<code>probesetSD</code>	within probeset standard deviation
<code>medianSE</code>	median standard error for gene expression estimates
<code>version</code>	the Entrez Gene alternative CDF version if applicable

Examples

```
data(hgu133afirmavecs)
str(hgu133afirmavecs)
```

Index

* datasets

hgu133abarcovecs, [1](#)

hgu133afrmavecs, [2](#)

hgu133abarcovecs, [1](#)

hgu133afrmavecs, [2](#)

hgu133ahsentrezgfrmavecs
(hgu133afrmavecs), [2](#)