## Package 'tuberculosis'

August 1, 2024

Title Tuberculosis Gene Expression Data for Machine Learning

**Description** The tuberculosis R/Bioconductor package features tuberculosis gene expression data for machine learning. All human samples from GEO that did not come from cell lines, were not taken postmortem, and did not feature recombination have been included. The package has more than 10,000 samples from both microarray and sequencing studies that have been processed from raw data through a hyper-standardized, reproducible pipeline.

**biocViews** ExperimentHub, ExpressionData, Homo\_sapiens\_Data, MicroarrayData, SequencingData, ReproducibleResearch

**Version** 1.10.0

License Artistic-2.0

**Depends** R (>= 4.1.0), SummarizedExperiment

**Imports** AnnotationHub, ExperimentHub, S4Vectors, dplyr, magrittr, purrr, rlang, stringr, tibble, tidyr

Suggests BiocStyle, ggplot2, hrbrthemes, knitr, readr, rmarkdown, scater, usethis, utils

URL https://github.com/schifferl/tuberculosis

BugReports https://github.com/schifferl/tuberculosis/issues

Encoding UTF-8

**Roxygen** list(markdown = TRUE)

RoxygenNote 7.3.1

VignetteBuilder knitr

git\_url https://git.bioconductor.org/packages/tuberculosis

git\_branch RELEASE\_3\_19

git\_last\_commit ebf01f6

git\_last\_commit\_date 2024-04-30

**Repository** Bioconductor 3.19

Date/Publication 2024-08-01

Author Lucas Schiffer [aut, cre] (<https://orcid.org/0000-0003-3628-0326>)

Maintainer Lucas Schiffer <schiffer.lucas@gmail.com>

3

### Contents

tuberculosis																																											2
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

#### Index

tuberculosis

find/get tuberculosis gene expression data

#### Description

To find or get tuberculosis gene expression data, users will use the tuberculosis function. The dryrun argument allows users to test a query prior to returning resources. When dryrun = TRUE, the function will print the names of matching resources as a message and return them invisibly as a character vector. When dryrun = FALSE, the function will either download resources from ExperimentHub or load them from the user's local cache. If a resource has multiple creation dates, the most recent is selected by default; add a date to override this behavior.

#### Usage

```
tuberculosis(pattern, dryrun = TRUE)
```

#### Arguments

pattern	regular expression pattern to look for in the titles of resources available in tuber- culosis; "." will return all resources
dryrun	if TRUE (the default), a character vector of resource names is returned invisibly; if FALSE, a list of resources is returned

#### Value

if dryrun = TRUE, a character vector of resource names is returned invisibly; if dryrun = FALSE, a list of resources is returned

#### Examples

tuberculosis("GSE103147")

#### 2

# Index

tuberculosis, 2